

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/26757034>

# Accidental Decapitation A Case Report

**Article** in *The American journal of forensic medicine and pathology: official publication of the National Association of Medical Examiners* · October 2009

DOI: 10.1097/PAF.0b013e318187dfff · Source: PubMed

CITATIONS

8

READS

867

4 authors, including:



**Kamil Hakan Dogan**

Selcuk University

61 PUBLICATIONS 377 CITATIONS

[SEE PROFILE](#)



**Zerrin Erkol**

Abant İzzet Baysal Üniversitesi

88 PUBLICATIONS 437 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Elderly suicide: Three cases report [View project](#)



Medical Education [View project](#)

# Accidental Decapitation

## A Case Report

Serafettin Demirci, MD,\* Kamil Hakan Dogan, MD,\* Zerrin Erkol, MD,† and Gursel Gunaydin, MD\*

**Abstract:** We report a case of an accidental decapitation of an agriculture worker in a field. The scene investigation revealed that the worker had loosely tied a scarf tied over his face in an attempt to diminish his exposure to barley dust, to which he was allergic, while distributing the barley loads with a shovel upon a trailer. The trailer was simultaneously being loaded by a helix elevator machine and its rotating shaft suddenly caught the victim's scarf and pulled it down to the victim's neck. The rotating motion immediately tightened the scarf around the neck resulting in hanging/strangulation noose that, by continued tightening, caused decapitation of the victim. The victim's body was found on the ground by the trailer and the victim's head was discovered in the barley load in the trailer. Examination revealed that the neck was severed at the level of the second and third cervical vertebrae.

**Key Words:** decapitation, accident, death

(*Am J Forensic Med Pathol* 2009;30: 270–272)

Decapitation of bodies, although not uncommon in situations of armed conflict, is a rare event in civilian settings, and accounts for about 0.1% of forensic autopsies.<sup>1</sup> Decapitation has been reported in cases of suicidal, homicidal, and accidental deaths, and there are several examples of autopsy findings that are indicative of each mode of death.<sup>2–8</sup>

Farm accidents are a frequent occurrence in many countries; in the United States farming is rated second only to mining in terms of occupational danger.<sup>9</sup> However, there is no sufficient official statistical data about farm accidents in Turkey. In this article, we report a decapitation case resulting from a farm accident, and the decapitation mechanism is discussed in light of the published data.

### CASE REPORT

The victim was a 41-year-old male farmer. In the stackyard, a helix elevator machine was loading a trailer with barley while the victim was distributing the loaded barley with a shovel in the trailer. He had tied a scarf loosely over his face and neck because he was allergic to the barley dust. When the victim's head and neck were level with the turning helix elevator shaft, the scarf was pulled up and wrapped around the shaft. The scarf then slid around the victim's neck and tightened, causing the head to separate from the body.

At the scene, a trailer full of barley was behind a tractor, and the helix elevator was behind another tractor. The investigation

revealed that the victim's head was in the trailer full of barley under the helix elevator (Figs. 1, 2). There were dense trails of blood and torn pieces of the victim's shirt and scarf over the shaft of the helix elevator (Fig. 3). The decapitated body of the victim was on the ground between the trailer and helix elevator (Figs. 4–6). There was a pool of blood under the neck region of the corpse. The total height of the victim was 172 cm, the length of the victim's head was 22 cm, and the distance between the turning shaft and the trailer full of barley was 150 cm.

In the external examination, the head was separated from the body between the second and third cervical vertebrae. There were bloody grains of barley on the base of the head.

In the internal examination, all internal organs were pale owing to massive external bleeding. There was blood in the trachea and esophagus, and an air embolus in the right ventricle. The toxicological analysis was negative.

### DISCUSSION

Decapitation has been used for execution throughout the world, and is still used for enactment of the death penalty in some countries. Complete and sole decapitation—without any further mutilation of the victim—connected with violent homicides is, relatively rare. Postmortem decapitation must be considered highly indicative of a homicide.<sup>10</sup>

Suicide by decapitation is unusual. Most suicides involving decapitation involve the deceased placing his or her head on a train or tramline, resulting in severing of the head by a moving engine.<sup>1</sup> Rarely, a victim may construct a device such as a guillotine to specifically achieve suicidal decapitation rather than relying on train trauma.<sup>6</sup> Less-common suicidal decapitations result from hanging or ligatures attached between the neck of the driver of a car and a stationary object.<sup>1,4,11</sup> Distinguishing suicide from an unintentional death can be difficult in these circumstances; however, decapitation by a train has been found to be indicative of suicide, whereas multiple injuries from blunt trauma caused by a moving train is more often an accident.<sup>5</sup>

Accidental decapitations can also result from traffic accidents, or occupational accidents. Decapitation may be associated with failure to use seat belts, fast driving speeds, and road barriers.<sup>8,12</sup> Unrestrained children may also be at risk for decapitation from airbags.<sup>13</sup> Decapitation by industrial trauma can occur at any age, and is often associated with heavy machinery in workshops or farm equipment being towed behind a tractor.<sup>14</sup>

The helix elevator that caused the death in this case is an appliance connected to a tractor. It is used for loading grains from a field to any vehicle, such as a trailer, for transportation. A helix elevator machine generally consists of 3 parts: (1) a shaft over the machine, (2) a helix elevator in a wide tube, and (3) a belt on the superior tip of the machine, connected to the shaft and helix elevator. The helix elevator machine mechanism is simple: while the shaft is turning around its axis, it operates the helix elevator via the belt that connects these 2 parts of the machine. The helix elevator, located in a wide tube, takes the grains from the stackyard and discharges them into a trailer or other similar vehicle.

Manuscript received August 28, 2007; accepted March 2, 2008.

From the \*Department of Forensic Medicine, Meram Medical School, Selcuk University, Konya, Turkey; and †Department of Forensic Medicine, Abant Izzet Baysal University, Bolu, Turkey.

Presented at the 5th Congress of the Balkan Academy of Forensic Sciences, Ohrid, Republic of Macedonia, June 3–7, 2007.

All figures can be viewed online at <http://amjforensicmedicine.com>.

Reprints: Serafettin Demirci, MD, Department of Forensic Medicine, Meram Medical School, Selcuk University, 42080 Meram, Konya, Turkey. E-mail: [sdemirci@selcuk.edu.tr](mailto:sdemirci@selcuk.edu.tr).

Copyright © 2009 by Lippincott Williams & Wilkins

ISSN: 0195-7910/09/3003-0270

DOI: 10.1097/PAF.0b013e318187dfff



**FIGURE 1.** The victim's head in the trailer under the helix elevator. [full color online](#)



**FIGURE 2.** The victim's head in the trailer full of barley. [full color online](#)



**FIGURE 3.** Dense trails of blood, torn pieces of the victim's shirt and scarf over the shaft of the helix elevator. [full color online](#)

In the present case, when the victim was redistributing the barley in the trailer with his back turned to the helix elevator, so he could not see this machine. The scarf was then pulled and wrapped over the turning shaft together with his shirt when it came in contact with the shaft. As the helix elevator continued to operate and the shaft continued to turn, the scarf tightened around the man's neck and decapitated him. The decapitated body of the victim, fell to the



**FIGURE 4.** Headless corpse on the ground. [full color online](#)



**FIGURE 5.** The head was separated from the body between the second and third cervical vertebrae. [full color online](#)



**FIGURE 6.** Helix elevator, the victim's head and body on the ground. [full color online](#)

ground, while the head fell into the trailer full of barley. During the examination of the helix elevator, it was found that the shaft mechanism that caused the accident was exposed. If there had been a safety cover around the turning shaft, such an accident would not have occurred. We believe that the agricultural machinery should be designed safely, and special clothing should be worn by farmers while working near such machines to prevent this type of accident.

## REFERENCES

1. Byard RW, Gilbert JD. Characteristic features of deaths due to decapitation. *Am J Forensic Med Pathol*. 2004;25:129–130.
2. Rothschild MA, Schneider V. Decapitation as a result of suicidal hanging. *Forensic Sci Int*. 1999;106:55–62.
3. Traqui A, Fonmartin K, Geraut A, et al. Suicidal hanging resulting in complete decapitation: a case report. *Int J Legal Med*. 1999;112:55–57.
4. Raja U, Sivaloganathan S. Decapitation: a rare complication in hanging. *Med Sci Law*. 1997;37:81–83.
5. Cina SJ, Koelpin JL, Nichols CA, et al. A decade of train-pedestrian fatalities: the Charleston experience. *J Forensic Sci*. 1994;39:668–673.
6. Shorrock K. Suicidal decapitation by guillotine. *Am J Forensic Med Pathol*. 2002;23:54–56.
7. Rajs J, Lundstrom M, Broberg M, et al. Criminal mutilation of the human body in Sweden: a thirty-year medico-legal and forensic psychiatric study. *J Forensic Sci*. 1998;43:563–580.
8. Kibayashi K, Yonemitsu K, Honjyo K, et al. Accidental decapitation: an unusual injury to a passenger in a vehicle. *Med Sci Law*. 1999;39:82–84.
9. Rivara FP. Fatal and nonfatal farm injuries to children and adolescents in the United States. *Pediatrics*. 1985;76:567–573.
10. Türk EE, Püschel K, Tsokos M. Features characteristic of homicide in cases of complete decapitation. *Am J Forensic Med Pathol*. 2004;25:83–86.
11. Prichard PD. A suicide by self-decapitation. *J Forensic Sci*. 1993;38:981–984.
12. Grisoni ER, Pillai SB, Volsko TA, et al. Pediatric airbag injuries: the Ohio experience. *J Pediatr Surg*. 2000;35:160–162.
13. Byard RW, Gilbert J, James R, et al. Pathological features of farm and tractor-related fatalities in children. *Am J Forensic Med Pathol*. 1999;20:73–77.
14. Sharma GK, Sarangi MP, Tyagi AK. Decapitation death. *Med Sci Law*. 1995;35:85–86.